

# AC 176

Self Contained Ice Machine - 50 Hz  
up to 85 kg

Item #:
Project:
Quantity:



### FEATURES

- Produces individual Gourmet crystal clear ice cubes.
- Resistant stainless steel exterior.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled version only)
- Easily accessible front panel mount ON-OFF Switch
- Routine Maintenance visible alarm light on front pane
- Ergonomically designed ice-storage access, with disappearing door
- Door-closing movement dampening system



AC L 176  
Large Gourmet 39 g  
Ø 38 x H 41 mm



AC M 176  
Medium Gourmet 20 g  
Ø 30 x H 34 mm



AC S 176  
Small Gourmet 8 g  
Ø 21 x H 25 mm

### CONDENSING SYSTEM

Air cooled  
Water cooled

### INTERNAL BIN CAPACITY

41 kg

### REFRIGERANT GAS

R134a  
R404A

### OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

### VOLTAGE V/Hz/ph

115/60/1  
230/50/1  
230/60/1

Certifications:



**IMPORTANT NOTICE:**  
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice  
Apple store  
Google play  
Windows store



[www.scotsman-ice.it](http://www.scotsman-ice.it)  
[www.scotsman-ice.com](http://www.scotsman-ice.com)


Self Contained Ice Machine - 50 Hz up to 85 kg

# AC 176

Self Contained Ice Machine - 50 Hz  
up to 85 kg

Item #:
Project:
Quantity:

Self Contained Ice Machine - 50 Hz up to 85 kg



UNIT DATA			Compressor		Circuit wires		Max. fuse size		
Size (W x D x H)	680 x 600 x 1120 mm		Version	Voltage	Btu/h	W	No.	Ømm <sup>2</sup>	A
Net weight	70 kg		AC S 176 WS	230/50/1	5118	1500	3	1.5	16
<b>SHIPPING DATA</b>			AC L 176 AS	230/50/1	5132	1504	3	1.5	16
Carton (W x D x H)	750 x 670 x 1170 mm		AC L 176 WS	230/50/1	5132	1504	3	1.5	16
Weight	80 kg		AC M 176 AS	230/50/1	2491	730	3	1.5	16
			AC M 176 WS	230/50/1	5118	1500	3	1.5	16
			AC S 176 AS	230/50/1	5118	1500	3	1.5	16
			24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
AC S 176 WS	Water	230/50/1	70	69	55	29.1	16.0	79.2	760
AC L 176 AS	Air	230/50/1	71	70	58	25.9	15.0	7.9	860
AC L 176 WS	Water	230/50/1	71	70	58	25.9	15.0	79.2	610
AC M 176 AS	Air	230/50/1	85	83	65	25.7	16.7	7.1	900
AC M 176 WS	Water	230/50/1	85	80	68	20.6	14.0	79.2	610
AC S 176 AS	Air	230/50/1	70	69	55	29.1	16.0	9.6	900

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions